

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO

Shell Pipeline Company LP

AUTHORIZING THE OPERATION OF

Port Arthur Products Station
Refined Petroleum Pipelines

LOCATED AT

Jefferson County, Texas

Latitude 29° 53' 20" Longitude 93° 59' 37"

Regulated Entity Number: RN102027174

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: O2733 Issuance Date: August 24, 2010

For the Commission

Table of Contents

Section	Page
General Terms and Conditions	1
Special Terms and Conditions	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting	1
Additional Monitoring Requirements	6
New Source Review Authorization Requirements	7
Compliance Requirements.....	8
Protection of Stratospheric Ozone	9
Permit Location.....	10
Permit Shield (30 TAC § 122.148)	10
Attachments	11
Applicable Requirements Summary	12
Additional Monitoring Requirements	23
Permit Shield.....	26
New Source Review Authorization References.....	28
Appendix A	33
Acronym List	34

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions: Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.

- C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
 - D. Emission units subject to 40 CFR Part 63, Subpart BBBBBB as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, § 113.1370 which incorporates the 40 CFR Part 63 Subpart by reference.
2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
- A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
- A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed before January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1 , shall not

exceed 30% opacity averaged over a six minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:

- (i) Title 30 TAC § 111.111(a)(1)(A) (relating to Requirements for Specified Sources)
- (ii) Title 30 TAC § 111.111(a)(1)(E)
- (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
- (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(A), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the "Applicable Requirements Summary" attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(A) are not subject to the following periodic monitoring requirements:
 - (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
 - (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
 - (3) Records of all observations shall be maintained.
 - (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one

hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

(5) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(A).
- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.
- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible

data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.

- B. Certification of opacity readers determining opacities under Method 9 (as outlined in 40 CFR Part 60, Appendix A) to comply with opacity monitoring requirements shall be accomplished by completing the Visible Emissions Evaluators Course, or approved agency equivalent, no more than 180 days before the opacity reading.
 - C. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
 - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
 - (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by $[h_e/H_e]^2$ as required in 30 TAC § 111.151(b)
 - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
 - D. Outdoor burning, as stated in 30 TAC § 111.201, shall not be authorized unless the following requirements are satisfied:
 - (i) Title 30 TAC § 111.205 (relating to Exception for Fire Training)
 - (ii) Title 30 TAC § 111.207 (relating to Exception for Recreation, Ceremony, Cooking, and Warmth)
 - (iii) Title 30 TAC § 111.219 (relating to General Requirements for Allowable Outdoor Burning)
 - (iv) Title 30 TAC § 111.221 (relating to Responsibility for Consequences of Outdoor Burning)
4. Permit holder shall comply with the following 30 TAC Chapter 115, Subchapter F requirements:
- A. For degassing or cleaning of stationary VOC storage vessels subject to 30 TAC Chapter 115, Subchapter F, Division 3: Degassing or Cleaning of Stationary, Marine, and Transport Vessels, the permit holder shall comply with the following requirements:
 - (i) Title 30 TAC § 115.541(a)(1) (relating to Emission Specifications)

- (ii) Title 30 TAC § 115.542(a) (relating to Control Requirements)
 - (iii) Title 30 TAC § 115.543 (relating to Alternate Control Requirements)
 - (iv) Title 30 TAC § 115.544 (relating to Inspection Requirements)
 - (v) Title 30 TAC § 115.545(1) - (9) (relating to Approved Test Methods)
 - (vi) Title 30 TAC § 115.546 (relating to Monitoring and Recordkeeping Requirements)
 - (vii) Title 30 TAC § 115.547(3) (relating to Exemptions)
5. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
 6. For the pipeline breakout station specified in 40 CFR Part 63, Subpart R, the permit holder shall comply with 40 CFR § 63.420(b)(2) (Title 30 TAC Chapter 113, Subchapter C, § 113.230 incorporated by reference).
 7. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

Additional Monitoring Requirements

8. The permit holder shall comply with the periodic monitoring requirements as specified in the attached “Periodic Monitoring Summary” upon issuance of the permit. Except for, as applicable, monitoring malfunctions, associated repairs, and required quality assurance or control activities (including, as applicable, calibration checks and required zero and span adjustments), the permit holder shall conduct all monitoring in continuous operation (or shall collect data at all required intervals) at all times that the pollutant-specific emissions unit is operating. The permit holder may elect to collect monitoring data on a more frequent basis and average the data, consistent with the averaging time specified in the “Periodic Monitoring Summary,” for purposes of determining whether a deviation has occurred. However, the additional data points must be collected on a regular basis. In no event shall data be collected and used in particular

instances to avoid reporting deviations. Deviations shall be reported according to 30 TAC § 122.145 (Reporting Terms and Conditions).

New Source Review Authorization Requirements

9. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
 - A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
10. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
11. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that is representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, material safety data sheets (MSDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144.
 - A. If applicable, monitoring of control device performance or general work practice standards shall be made in accordance with the TCEQ Periodic Monitoring Guidance document.
 - B. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).
12. The permit holder shall comply with the following requirements for flexible permits of 30 TAC Chapter 116:
 - A. Title 30 TAC § 116.715 (relating to General and Special Conditions)

- B. Title 30 TAC § 116.716 (relating to Emission Caps and Individual Emission Limitations)
- C. Title 30 TAC § 116.717 (relating to Implementation Schedule for Additional Controls)
- D. Title 30 TAC § 116.718 (relating to Significant Emission Increase)
- E. Title 30 TAC § 116.720 (relating to Limitation on Physical and Operational Changes)
- F. Title 30 TAC § 116.721(a) (relating to requirements for Amendments and Alterations)

Compliance Requirements

- 13. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
- 14. Use of Emission Credits to comply with applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) Offsets for Title 30 TAC Chapter 116
 - B. The permit holder shall comply with the following requirements in order to use the emission credits to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.306(c)(2)
 - (ii) The emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 1
 - (iii) The executive director has approved the use of the credit according to 30 TAC § 101.306(c)(2)

- (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.302(g) and 30 TAC Chapter 122
- 15. Use of Discrete Emission Credits to comply with the applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) If applicable, offsets for Title 30 TAC Chapter 116
 - (iv) Temporarily exceed state NSR permit allowables
 - B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
 - (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122

Protection of Stratospheric Ozone

- 16. Permit holders at a site subject to Title VI of the FCAA Amendments shall meet the following requirements for protection of stratospheric ozone.
 - A. Any on site servicing, maintenance, and repair on refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants or non-exempt substitutes shall be conducted in accordance with 40 CFR Part 82, Subpart F. Permit holders shall ensure that repairs on or refrigerant removal from refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants are performed only by properly certified technicians using certified

equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart F.

Permit Location

17. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

Permit Shield (30 TAC § 122.148)

18. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Additional Monitoring Requirements

Permit Shield

New Source Review Authorization References

Applicable Requirements Summary

Unit Summary	13
---------------------------	-----------

Applicable Requirements Summary	15
--	-----------

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
LOAD1	Loading/unloading operations	N/A	515-13-017	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
GRPTK1	Storage tanks/vessels	T1367, T1368, T1369, T1370, T1371, T1372, T1373, T1374, T1375, T1376, T1382, T1420, T1467, T1484, T1494, T1495, T2040, T2080	R5112-001	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
GRPTK2	Storage tanks/vessels	T1419, T1421, T1422, T1437, T1464, T1465, T1496	R5112-002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
GRPTK3	Storage tanks/vessels	T1378, T4601	R5112-003	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
GRPTK3	Storage tanks/vessels	T1378, T4601	63-6B	40 CFR Part 63, Subpart BBBB	No changing attributes.
GRPUPGRADE	Storage tanks/vessels	T1454, T1468, T1469	R5112-005	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
T1463	Storage tanks/vessels	N/A	R5112-002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
T1463	Storage tanks/vessels	N/A	63-6B	40 CFR Part 63, Subpart BBBB	No changing attributes.
T1466	Storage tanks/vessels	N/A	R5112-002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
T1466	Storage tanks/vessels	N/A	63-6B	40 CFR Part 63, Subpart BBBB	No changing attributes.
T1498	Storage tanks/vessels	N/A	R5112-002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
T1498	Storage tanks/vessels	N/A	63-6B	40 CFR Part 63, Subpart BBBBBB	No changing attributes.
T1499	Storage tanks/vessels	N/A	R5112-002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
T1499	Storage tanks/vessels	N/A	63-6B	40 CFR Part 63, Subpart BBBBBB	No changing attributes.
T1500	Storage tanks/vessels	N/A	R5112-002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
T1500	Storage tanks/vessels	N/A	63-6B	40 CFR Part 63, Subpart BBBBBB	No changing attributes.
T1501	Storage tanks/vessels	N/A	R5112-002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
T1501	Storage tanks/vessels	N/A	63-6B	40 CFR Part 63, Subpart BBBBBB	No changing attributes.
T1502	Storage tanks/vessels	N/A	R5112-002	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
T1502	Storage tanks/vessels	N/A	63-6B	40 CFR Part 63, Subpart BBBBBB	No changing attributes.
T4584	Storage tanks/vessels	N/A	R5112-004	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
T4584	Storage tanks/vessels	N/A	63-6B	40 CFR Part 63, Subpart BBBBBB	No changing attributes.
T4600	Storage tanks/vessels	N/A	63-6B	40 CFR Part 63, Subpart BBBBBB	No changing attributes.

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
LOAD1	EU	515-13-017	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(2)(A) [G]§ 115.212(a)(7) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Any plant, excluding gasoline bulk plants, which loads less than 20,000 gpd of VOC with a true vapor pressure of 0.5 psia or greater is exempt from the requirements of this division, except for the specified requirements.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B) § 115.216(3)(D)	None
GRPTK1	EU	R5112-001	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(6)(A) § 115.118(a)(7)	None
GRPTK2	EU	R5112-002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(2) § 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D) § 115.112(a)(2)(E) § 115.112(a)(2)(F)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(2) § 115.114(a)(3) § 115.114(a)(4) [G]§ 115.115(a) § 115.116(a)(2) § 115.116(a)(2)(A) § 115.116(a)(2)(B) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(E) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(H) § 115.116(a)(2)(I) § 115.116(a)(2)(J) § 115.116(a)(4) § 115.116(a)(5)	§ 115.116(a)(2) § 115.116(a)(4) § 115.116(a)(5)	§ 115.114(a)(2) § 115.114(a)(4) § 115.116(a)(2) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(J)
GRPTK3	EU	R5112-003	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(2) § 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(1) [G]§ 115.115(a) § 115.116(a)(4) § 115.116(a)(5)	§ 115.116(a)(2) § 115.116(a)(4) § 115.116(a)(5)	§ 115.114(a)(1)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 115.112(a)(2)(E)				
GRPTK3	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB
GRPUPGRADE	EU	R5112-005	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(2) § 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D) § 115.112(a)(2)(E) § 115.112(a)(2)(F)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(2) § 115.114(a)(4) [G]§ 115.115(a) § 115.116(a)(2) § 115.116(a)(2)(A) § 115.116(a)(2)(B) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(E) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(H) § 115.116(a)(2)(I) § 115.116(a)(2)(J) § 115.116(a)(4) § 115.116(a)(5)	§ 115.116(a)(2) § 115.116(a)(4) § 115.116(a)(5)	§ 115.114(a)(2) § 115.114(a)(4) § 115.116(a)(2) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(J)
T1463	EU	R5112-002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(2) § 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D) § 115.112(a)(2)(E) § 115.112(a)(2)(F)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(2) § 115.114(a)(3) § 115.114(a)(4) [G]§ 115.115(a) § 115.116(a)(2) § 115.116(a)(2)(A) § 115.116(a)(2)(B) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(E) § 115.116(a)(2)(F)	§ 115.116(a)(2) § 115.116(a)(4) § 115.116(a)(5)	§ 115.114(a)(2) § 115.114(a)(4) § 115.116(a)(2) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(J)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 115.116(a)(2)(G) § 115.116(a)(2)(H) § 115.116(a)(2)(I) § 115.116(a)(2)(J) § 115.116(a)(4) § 115.116(a)(5)		
T1463	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB
T1466	EU	R5112-002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(2) § 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D) § 115.112(a)(2)(E) § 115.112(a)(2)(F)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(2) § 115.114(a)(3) § 115.114(a)(4) [G]§ 115.115(a) § 115.116(a)(2) § 115.116(a)(2)(A) § 115.116(a)(2)(B) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(E) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(H) § 115.116(a)(2)(I) § 115.116(a)(2)(J) § 115.116(a)(4) § 115.116(a)(5)	§ 115.116(a)(2) § 115.116(a)(4) § 115.116(a)(5)	§ 115.114(a)(2) § 115.114(a)(4) § 115.116(a)(2) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(J)
T1466	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements	The permit holder shall comply with the applicable recordkeeping requirements of 40	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB		of 40 CFR Part 63, Subpart BBBBBB	CFR Part 63, Subpart BBBBBB	BBBBBB
T1498	EU	R5112-002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(2) § 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D) § 115.112(a)(2)(E) § 115.112(a)(2)(F)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(2) § 115.114(a)(3) § 115.114(a)(4) [G]§ 115.115(a) § 115.116(a)(2) § 115.116(a)(2)(A) § 115.116(a)(2)(B) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(E) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(H) § 115.116(a)(2)(I) § 115.116(a)(2)(J) § 115.116(a)(4) § 115.116(a)(5)	§ 115.116(a)(2) § 115.116(a)(4) § 115.116(a)(5)	§ 115.114(a)(2) § 115.114(a)(4) § 115.116(a)(2) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(J)
T1498	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB
T1499	EU	R5112-002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(2) § 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D) § 115.112(a)(2)(E)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(2) § 115.114(a)(3) § 115.114(a)(4) [G]§ 115.115(a) § 115.116(a)(2) § 115.116(a)(2)(A) § 115.116(a)(2)(B)	§ 115.116(a)(2) § 115.116(a)(4) § 115.116(a)(5)	§ 115.114(a)(2) § 115.114(a)(4) § 115.116(a)(2) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(F) § 115.116(a)(2)(G)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 115.112(a)(2)(F)		§ 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(E) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(H) § 115.116(a)(2)(I) § 115.116(a)(2)(J) § 115.116(a)(4) § 115.116(a)(5)		§ 115.116(a)(2)(J)
T1499	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB
T1500	EU	R5112-002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(2) § 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D) § 115.112(a)(2)(E) § 115.112(a)(2)(F)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(2) § 115.114(a)(3) § 115.114(a)(4) [G]§ 115.115(a) § 115.116(a)(2) § 115.116(a)(2)(A) § 115.116(a)(2)(B) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(E) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(H) § 115.116(a)(2)(I) § 115.116(a)(2)(J) § 115.116(a)(4) § 115.116(a)(5)	§ 115.116(a)(2) § 115.116(a)(4) § 115.116(a)(5)	§ 115.114(a)(2) § 115.114(a)(4) § 115.116(a)(2) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(J)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
T1500	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB
T1501	EU	R5112-002	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1) § 115.112(a)(2) § 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D) § 115.112(a)(2)(E) § 115.112(a)(2)(F)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(2) § 115.114(a)(3) § 115.114(a)(4) [G]§ 115.115(a) § 115.116(a)(2) § 115.116(a)(2)(A) § 115.116(a)(2)(B) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(E) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(H) § 115.116(a)(2)(I) § 115.116(a)(2)(J) § 115.116(a)(4) § 115.116(a)(5)	§ 115.116(a)(2) § 115.116(a)(4) § 115.116(a)(5)	§ 115.114(a)(2) § 115.114(a)(4) § 115.116(a)(2) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(J)
T1501	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB
T1502	EU	R5112-002	VOC	30 TAC Chapter 115, Storage of	§ 115.112(a)(1) § 115.112(a)(2)	Tanks shall not store VOC unless the required pressure is	§ 115.114(a)(2) § 115.114(a)(3)	§ 115.116(a)(2) § 115.116(a)(4)	§ 115.114(a)(2) § 115.114(a)(4)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				VOCs	§ 115.112(a)(2)(A) § 115.112(a)(2)(B) § 115.112(a)(2)(C) § 115.112(a)(2)(D) § 115.112(a)(2)(E) § 115.112(a)(2)(F)	maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	§ 115.114(a)(4) [G]§ 115.115(a) § 115.116(a)(2) § 115.116(a)(2)(A) § 115.116(a)(2)(B) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(E) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(H) § 115.116(a)(2)(I) § 115.116(a)(2)(J) § 115.116(a)(4) § 115.116(a)(5)	§ 115.116(a)(5)	§ 115.116(a)(2) § 115.116(a)(2)(C) § 115.116(a)(2)(D) § 115.116(a)(2)(F) § 115.116(a)(2)(G) § 115.116(a)(2)(J)
T1502	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB
T4584	EU	R5112-004	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.112(a)(1)	Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a).	[G]§ 115.115(a) § 115.116(a)(4) § 115.116(a)(5) ** See Periodic Monitoring Summary	§ 115.116(a)(4) § 115.116(a)(5)	None
T4584	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					Part 63, Subpart BBBBBB				
T4600	EU	63-6B	112(B) HAPS	40 CFR Part 63, Subpart BBBBBB	§ 63.11087(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB

Additional Monitoring Requirements

Periodic Monitoring Summary..... 24

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: T4584	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Storage of VOCs	SOP Index No.: R5112-004
Pollutant: VOC	Main Standard: § 115.112(a)(1)
Monitoring Information	
Indicator: Record of Tank Construction Specifications	
Minimum Frequency: n/a	
Averaging Period: n/a	
Deviation Limit: Any deviation from tank construction specifications.	
<p>Periodic Monitoring Text: Keep a record of tank construction specifications (e.g. engineering drawings) that show a fill pipe that extends from the top of a tank to have a maximum clearance of six inches (15.2 centimeters) from the bottom or, when the tank is loaded from the side, a discharge opening entirely submerged when the pipe used to withdraw liquid from the tank can no longer withdraw liquid in normal operation.</p>	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: T4584	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 115, Storage of VOCs	SOP Index No.: R5112-004
Pollutant: VOC	Main Standard: § 115.112(a)(1)
Monitoring Information	
Indicator: Structural Integrity of the Pipe	
Minimum Frequency: Emptied and degassed	
Averaging Period: n/a	
Deviation Limit: It is a deviation if required repairs are not completed prior to refilling the storage vessel.	
<p>Periodic Monitoring Text: Inspect to determine the structural integrity of the fill pipe and record each time the storage vessel is emptied and degassed to ensure that it continues to meet the specifications in the above requirement. If the structural integrity of the fill pipe is in question, repairs shall be made before the storage vessel is refilled. It shall be considered and reported as a deviation if the repairs are not completed prior to refilling the storage vessel.</p>	

Permit Shield

Permit Shield 27

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
GRPTK1	T1367, T1368, T1369, T1370, T1371, T1372, T1373, T1374, T1375, T1376, T1382, T1420, T1467, T1484, T1494, T1495, T2040, T2080	40 CFR Part 60, Subpart K	The tanks were not constructed or modified after June 11, 1973.
GRPTK2	T1419, T1421, T1422, T1437, T1464, T1465, T1496	40 CFR Part 60, Subpart K	The tanks were not constructed or modified after June 11, 1973.
GRPTK3	T1378, T4601	40 CFR Part 60, Subpart K	The tanks were not constructed or modified after June 11, 1973.
GRPUPGRADE	T1454, T1468, T1469	40 CFR Part 60, Subpart K	The tanks were not constructed or modified after June 11, 1973.
T4584	N/A	40 CFR Part 60, Subpart K	The tanks were not constructed or modified after June 11, 1973.

New Source Review Authorization References

New Source Review Authorization References 29

New Source Review Authorization References by Emission Unit.....30

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.	
Authorization No.: 56342	Issuance Date: 04/30/2012
Permits By Rule (30 TAC Chapter 106) for the Application Area	
Number: 106.263	Version No./Date: 11/01/2001
Number: 106.473	Version No./Date: 09/04/2000
Number: 106.478	Version No./Date: 09/04/2000
Number: 106.511	Version No./Date: 09/04/2000
Number: 58	Version No./Date: 01/08/1980
Number: 102	Version No./Date: 01/08/1980

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
LOAD1	TRANSMIX LOADING	106.473/09/04/2000
T1367	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1368	3.36 MM GAL EFR -DIESEL	058/01/08/1980
T1369	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1370	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1371	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1372	3.36 MM GAL EFR - DIESEL	058/01/08/1980
T1373	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1374	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1375	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1376	3.36 MM GAL EFR - DIESEL	058/01/08/1980
T1378	0.215 MM GAL IFR - GASOLINE	106.478/09/04/2000
T1382	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1419	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1420	3.36 MM GAL EFR - JET	106.478/09/04/2000
T1421	3.36 MM GAL EFR - GASOLINE	56342
T1422	3.36 MM GAL EFR - GASOLINE	56342
T1437	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
T1454	5.25 MM GAL EFR - GASOLINE	56342
T1463	8.484 MM GAL EFR - GASOLINE	106.478/09/04/2000
T1464	11.34 MM GAL EFR - GASOLINE	56342
T1465	11.34 MM GAL EFR - GASOLINE	56342
T1466	5.25 MM GAL EFR - GASOLINE	56342
T1467	11.34 MM GAL EFR - DIESEL	106.478/09/04/2000
T1468	4.2 MM GAL EFR - GASOLINE	56342
T1469	4.606 MM GAL EFR - GASOLINE	56342
T1484	7.602 MM GAL EFR - DIESEL	058/01/08/1980
T1494	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1495	13.524 MM GAL EFR - JET	106.478/09/04/2000
T1496	3.36 MM GAL EFR - DIESEL	106.478/09/04/2000
T1498	5.25 MM GAL EFR - GASOLINE	56342
T1499	5.25 MM GAL EFR - GASOLINE	56342
T1500	5.25 MM GAL EFR - GASOLINE	106.478/09/04/2000
T1501	3.36 MM GAL EFR - GASOLINE	56342
T1502	3.675 MM GAL EFR - GASOLINE	56342
T2040	7.602 MM GAL EFR - JET	058/01/08/1980

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
T2080	6.702 MM GAL EFR - JET	058/01/08/1980
T4584	9,000 GAL FRT	106.473/09/04/2000
T4600	42,000 GAL FRT	106.478/09/04/2000
T4601	42,000 GAL IFR	56342

Appendix A

Acronym List	34
---------------------------	-----------

Acronym List

The following abbreviations or acronyms may be used in this permit:

ACFMactual cubic feet per minute
AMOCalternate means of control
ARPAcid Rain Program
ASTMAmerican Society of Testing and Materials
B/PABeaumont/Port Arthur (nonattainment area)
CAMCompliance Assurance Monitoring
CDcontrol device
COMScontinuous opacity monitoring system
CVSclosed-vent system
D/FWDallas/Fort Worth (nonattainment area)
DRDesignated Representative
ELPEl Paso (nonattainment area)
EPemission point
EPAU.S. Environmental Protection Agency
EUemission unit
FCAA AmendmentsFederal Clean Air Act Amendments
FOPfederal operating permit
GFgrandfathered
gr/100 scfgrains per 100 standard cubic feet
HAPhazardous air pollutant
H/G/BHouston/Galveston/Brazoria (nonattainment area)
H ₂ Shydrogen sulfide
ID No.identification number
lb/hrpound(s) per hour
MMBtu/hrMillion British thermal units per hour
MRRTmonitoring, recordkeeping, reporting, and testing
NAnonattainment
N/Anot applicable
NADBNational Allowance Data Base
NO _xnitrogen oxides
NSPSNew Source Performance Standard (40 CFR Part 60)
NSRNew Source Review
ORISOffice of Regulatory Information Systems
Pblead
PBRPermit By Rule
PMparticulate matter
ppmvparts per million by volume
PSDprevention of significant deterioration
ROResponsible Official
SO ₂sulfur dioxide
TCEQTexas Commission on Environmental Quality
TSPtotal suspended particulate
TVPtrue vapor pressure
U.S.C.United States Code
VOCvolatile organic compound